



Knockout-USPAP.ST25.txt
SEQUENCE LISTING

<110> Palatin Technologies, Inc.
Sharma, Shubh
Shi, Yi-Qun
Bastos, Margarita
Rajpurohit, Ramesh
Cai, Hui-Zhi

<120> Knockout Identification of Target-Specific Sites in Peptides

<130> 70025-US04-129

<140> 10/769,695

<141> 2004-01-31

<150> US 60/444,129

<151> 2003-01-31

<160> 65

<170> PatentIn version 3.2

<210> 1

<211> 13

<212> PRT

<213> Artificial

<220>

<223> alpha-MSH analog specific for melanocortin receptors

<400> 1

Ser Tyr Ser Met Glu His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 2

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Norleucine

<400> 2

Ser Tyr Ser Xaa Glu His Phe Arg Trp Gly Lys Gly Val Cys
1 5 10

<210> 3

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Norleucine

<400> 3

Ser Tyr Ser Xaa Glu His Phe Arg Trp Gly Lys Gly Cys Val
1 5 10

<210> 4

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> misc_feature

<222> (4)..(4)

<223> Norleucine

<400> 4

Ser Tyr Ser Xaa Glu His Phe Arg Trp Gly Lys Cys Pro Val
1 5 10

<210> 5

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Norleucine

<400> 5

Ser Tyr Ser Xaa Glu His Phe Arg Trp Gly Cys Lys Pro Val
1 5 10

<210> 6

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

Knockout-USPAP.ST25.txt

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Norleucine

<400> 6

Ser Tyr Ser Xaa Glu His Phe Arg Trp Cys Gly Lys Pro Val
 1 5 10

<210> 7
 <211> 14
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from alpha-MSH analog

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Norleucine

<400> 7

Ser Tyr Ser Xaa Glu His Phe Arg Cys Trp Gly Lys Pro Val
 1 5 10

<210> 8
 <211> 14
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from alpha-MSH analog

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Norleucine

<400> 8

Ser Tyr Ser Xaa Glu His Phe Cys Arg Trp Gly Lys Pro Val
 1 5 10

<210> 9
 <211> 14
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from alpha-MSH analog

<220>
 <221> misc_feature
 <222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid

<400> 9

Ser Tyr Ser Xaa Glu His Phe Cys Arg Trp Gly Lys Pro Val
1 5 10

<210> 10

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Norleucine

<400> 10

Ser Tyr Ser Xaa Glu Cys His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 11

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Norleucine

<400> 11

Ser Tyr Ser Xaa Cys Glu His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 12

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from alpha-MSH analog

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Norleucine

<400> 12

Knockout-USPAP.ST25.txt

Ser Tyr Ser Cys Xaa Glu His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 13
<211> 14
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from alpha-MSH analog

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Norleucine

<400> 13

Ser Tyr Cys Ser Xaa Glu His Phe Arg Trp Gly Lys Pro Val
1 5 10

<210> 14
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Nle-3 substituted gamma-MSH analog for melanocortin receptors

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 14

Tyr Val Xaa Gly His Phe Arg Trp Asp Arg Phe
1 5 10

<210> 15
<211> 12
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 15

Tyr Val Xaa Gly His Phe Arg Trp Asp Arg Phe Cys
1 5 10

Knockout-USPAP.ST25.txt

<210> 16
 <211> 12
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Norleucine

<400> 16

Tyr Val Xaa Gly His Phe Arg Trp Asp Arg Cys Phe
 1 5 10

<210> 17
 <211> 12
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Norleucine

<400> 17

Tyr Val Xaa Gly His Phe Arg Trp Asp Cys Arg Phe
 1 5 10

<210> 18
 <211> 12
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Norleucine

<400> 18

Tyr Val Xaa Gly His Phe Arg Trp Cys Asp Arg Phe
 1 5 10

<210> 19

Knockout-USPAP.ST25.txt

<211> 12
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 19

Tyr Val Xaa Gly His Phe Arg Cys Trp Asp Arg Phe
1 5 10

<210> 20
<211> 12
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 20

Tyr Val Xaa Gly His Phe Cys Arg Trp Asp Arg Phe
1 5 10

<210> 21
<211> 12
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 21

Tyr Val Xaa Gly His Cys Phe Arg Trp Asp Arg Phe
1 5 10

<210> 22
<211> 12
<212> PRT
<213> Artificial

Knockout-USPAP.ST25.txt

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 22

Tyr Val Xaa Gly Cys His Phe Arg Trp Asp Arg Phe
1 5 10

<210> 23
<211> 12
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 23

Tyr Val Xaa Cys Gly His Phe Arg Trp Asp Arg Phe
1 5 10

<210> 24
<211> 12
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from Nle-3 substituted gamma-MSH analog

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Norleucine

<400> 24

Tyr Val Cys Xaa Gly His Phe Arg Trp Asp Arg Phe
1 5 10

<210> 25
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Bombesin analog derived from amphibian skin
Page 8

Knockout-USPAP.ST25.txt

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<400> 25

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly His Leu Met
 1 5 10

<210> 26
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Norleucine

<400> 26

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly His Leu Xaa Cys
 1 5 10 15

<210> 27
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Norleucine

<400> 27

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly His Leu Cys Xaa
 1 5 10 15

<210> 28
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Norleucine

<400> 28

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly His Cys Leu Xaa
 1 5 10 15

<210> 29
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Norleucine

<400> 29

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly Cys His Leu Xaa
 1 5 10 15

<210> 30
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

Knockout-USPAP.ST25.txt

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Norleucine

<400> 30

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Cys Gly His Leu Xaa
 1 5 10 15

<210> 31
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Norleucine

<400> 31

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Cys Val Gly His Leu Xaa
 1 5 10 15

<210> 32
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Norleucine

<400> 32

Xaa Gln Arg Leu Gly Asn Gln Trp Cys Ala Val Gly His Leu Xaa
 1 5 10 15

<210> 33

<211> 15
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Pyroglutamic acid

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Norleucine

<400> 33

Xaa Gln Arg Leu Gly Asn Gln Cys Trp Ala Val Gly His Leu Xaa
1 5 10 15

<210> 34
<211> 15
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Pyroglutamic acid

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Norleucine

<400> 34

Xaa Gln Arg Leu Gly Asn Cys Gln Trp Ala Val Gly His Leu Xaa
1 5 10 15

<210> 35
<211> 15
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Pyroglutamic acid

Knockout-USPAP.ST25.txt

<220>

<221> MISC_FEATURE

<222> (15)..(15)

<223> Norleucine

<400> 35

Xaa Gln Arg Leu Gly Cys Asn Gln Trp Ala Val Gly His Leu Xaa
1 5 10 15

<210> 36

<211> 15

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (15)..(15)

<223> Norleucine

<400> 36

Xaa Gln Arg Leu Cys Gly Asn Gln Trp Ala Val Gly His Leu Xaa
1 5 10 15

<210> 37

<211> 15

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (15)..(15)

<223> Norleucine

<400> 37

Xaa Gln Arg Cys Leu Gly Asn Gln Trp Ala Val Gly His Leu Xaa
1 5 10 15

<210> 38

<211> 15

<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Norleucine

<220>
<221> misc_feature
<222> (15)..(15)
<223> Norleucine

<400> 38

Ala Gln Cys Arg Leu Gly Asn Gln Trp Ala Val Gly His Leu Xaa
1 5 10 15

<210> 39
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Metallopeptide core sequence derived from bombesin analog

<400> 39

Trp Ala Val Cys His
1 5

<210> 40
<211> 14
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Pyroglutamic acid

<400> 40

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly His Leu Cys
1 5 10

<210> 41
<211> 14
<212> PRT
<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 41

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly His Cys Xaa
1 5 10

<210> 42

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 42

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Gly Cys Leu Xaa
1 5 10

<210> 43

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 43

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Val Cys His Leu Xaa
1 5 10

<210> 44

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 44

Xaa Gln Arg Leu Gly Asn Gln Trp Ala Cys Gly His Leu Xaa
1 5 10

<210> 45

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 45

Xaa Gln Arg Leu Gly Asn Gln Trp Cys Val Gly His Leu Xaa
1 5 10

<210> 46

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Norleucine

<400> 46

Xaa Gln Arg Leu Gly Asn Gln Cys Ala Val Gly His Leu Xaa
 1 5 10

<210> 47
 <211> 14
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Norleucine

<400> 47

Xaa Gln Arg Leu Gly Asn Cys Trp Ala Val Gly His Leu Xaa
 1 5 10

<210> 48
 <211> 14
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Pyroglutamic acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Norleucine

<400> 48

Knockout-USPAP.ST25.txt

Xaa Gln Arg Leu Gly Cys Gln Trp Ala Val Gly His Leu Xaa
1 5 10

<210> 49

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 49

Xaa Gln Arg Leu Cys Asn Gln Trp Ala Val Gly His Leu Xaa
1 5 10

<210> 50

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Pyroglutamic acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Norleucine

<400> 50

Xaa Gln Arg Cys Gly Asn Gln Trp Ala Val Gly His Leu Xaa
1 5 10

<210> 51

<211> 14

<212> PRT

<213> Artificial

<220>

<223> metallopeptide derived from bombesin analog

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Norleucine

<400> 51

Ala Gln Cys Leu Gly Asn Gln Trp Ala Val Gly His Leu Xaa
 1 5 10

<210> 52
 <211> 8
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<400> 52

Gln Trp Ala Val Cys His Leu Leu
 1 5

<210> 53
 <211> 7
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<400> 53

Trp Ala Val Cys His Leu Leu
 1 5

<210> 54
 <211> 6
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<400> 54

Ala Val Cys His Leu Leu
 1 5

<210> 55
 <211> 7
 <212> PRT
 <213> Artificial

<220>
 <223> metallopeptide derived from bombesin analog

<400> 55

Gln Trp Ala Val Cys His Leu
1 5

<210> 56
<211> 6
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 56

Trp Ala Val Cys His Leu
1 5

<210> 57
<211> 5
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 57

Ala Val Cys His Leu
1 5

<210> 58
<211> 6
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 58

Gln Trp Ala Val Cys His
1 5

<210> 59
<211> 5
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 59

Trp Ala Val Cys His
1 5

<210> 60
<211> 4

<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 60

Ala Val Cys His
1

<210> 61
<211> 5
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 61

Gln Trp Ala Val Cys
1 5

<210> 62
<211> 4
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from bombesin analog
<400> 62

Trp Ala Val Cys
1

<210> 63
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Alpha-MSH message segment
<400> 63

His Phe Arg Trp
1

<210> 64
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Bombesin critical peptide segment
<400> 64

Knockout-USPAP.ST25.txt

Gln Trp Ala Val
1

<210> 65
<211> 11
<212> PRT
<213> Artificial

<220>
<223> metallopeptide derived from melanocortin receptor binding
compound

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Norleucine

<400> 65

Tyr Val Xaa Gly His Cys Arg Trp Asx Arg Phe
1 5 10